

AMENDMENTS TO THE CLAIMS

1-28 (Canceled).

29. (Currently Amended) In an software authorization agent device, a method of generating a gaming software transaction record used to facilitate a transfer of gaming software information between two gaming devices, the method comprising:

receiving a gaming software transaction request from a first gaming device;  
authenticating an identity of the first gaming device;

generating a gaming software transaction record comprising gaming software transaction information ~~that is used to approve or reject the transfer of gaming software from a second gaming device to the first gaming device~~

sending a message to the first gaming device wherein the message includes information authorizing the first gaming device to transfer the gaming information to the second gaming device wherein the first gaming device and the second gaming device are separate from the authorization agent;

wherein the gaming software information is ~~for at least one of a~~ a game of chance played on a gaming machine;

~~b) a bonus game of chance played on a gaming machine,~~

~~e) a device driver for a for a device installed on a gaming machine,~~

~~d) a player tracking service on a gaming machine, and~~

~~e) an operating system installed on the gaming machine.~~

30. (Previously Presented) The method of claim 29, wherein the game of chance is a video slot game, a mechanical slot game, a lottery game, a video poker game, a video black jack game, a video lottery game, and a video pachinko game.

31. (Previously Presented) The method of claim 29, wherein the first gaming device is at least one of a gaming machine, game server and combinations thereof.

32. (Currently Amended) The method of claim 29, wherein the gaming software transaction request comprises access information and gaming software identification information.

33. (Canceled).

34. (Canceled).

35. (Currently Amended) The method of claim 29, further comprising: comparing access information in the gaming software transaction request with access information stored in a database.

36. (Currently Amended) The method of claim 35, when the compared access information does not match the access information stored in the database, denying the gaming software transaction request.

37. (Currently Amended) The method of claim 29, further comprising: comparing gaming software identification information in the gaming software transaction request with gaming software identification information stored in a database.

38. (Currently Amended) The method of claim 37, when the gaming software identification information does not match the access information stored in the database, denying the gaming software transaction request.

39. (Previously Presented) The method of claim 29, further comprising: generating an identification sequence; encrypting the identification sequence with a public encryption key for the first gaming device wherein information encrypted with the public encryption key is decrypted with a private encryption key used by the first gaming device; sending the encrypted identification sequence to the first gaming device.

40. (Currently Amended) The method of claim 39, wherein the identification sequence is a symmetric encryption key used to encrypt gaming software transferred between the first gaming device and the second gaming device.

41. (Currently Amended) The method of claim 39, further comprising: receiving from the first gaming device a second identification sequence encrypted with a public encryption key used by the software authorization agent, decrypting the second identification sequence with a private encryption key corresponding to the public encryption key used by the software authorization agent; comparing the second identification sequence to the identification sequence sent to the first gaming device to authenticate the identity of the first gaming device.

42. (Currently Amended) The method of claim 41, wherein the second identification sequence is a symmetric encryption key used to transfer gaming software information between the first gaming device and the second gaming device.

Appl. No. : 10/658,836  
Filed : August 21, 2003

43. (Currently Amended) The method of claim 41, when the second identification sequence received from the first gaming device does not match the identification sequence sent to the first gaming device; denying the gaming ~~software~~ transaction request.

44. - 48 (Canceled).

49. (Currently Amended) The method of claim 29, wherein the software authorization agent communicates with the first gaming device using an local area network, a wide area network, a private network, a virtual private network, the Internet and combinations thereof.

50. - 55. (Canceled).

56. (Currently Amended) In an software authorization agent, a method of regulating a transfer of gaming software information between two gaming devices, the method comprising:

receiving a gaming software download information request message with gaming software transaction information from a first gaming device;

validating the gaming software download information request using the gaming software transaction information;

sending an authorization message to the first gaming device authorizing the first gaming device to transfer gaming software information to a second gaming device;

sending a message to the first gaming device wherein the message includes information authorizing the first gaming device to transfer the gaming information to the second gaming device wherein the first gaming device and the second gaming device are separate from the authorization agent;

wherein the gaming software information is for-at-least-one-of-a) a game of chance played on a gaming machine;

b) a bonus game of chance played on a gaming machine,

e) a device driver for a for a device installed on a gaming machine,

d) a player tracking service on a gaming machine, and

e) an operating system installed on the gaming machine.

57. (Previously Presented) The method of claim 56, wherein the second gaming device at least one of a gamer server and a gaming machine.

58. (Previously Presented) The method of claim 56, wherein the game of chance is a video slot game, a mechanical slot game, a lottery game, a video poker game, a video black jack game, a video lottery game, and a video pachinko game.

59. (Canceled).

60. (Currently Amended) The method of claim 56, further comprising: comparing the gaming transaction information in the gaming ~~software download~~ request message with gaming transaction information stored in a transaction database to validate the gaming ~~software download~~ request.

61. (Currently Amended) The method of claim 56, further comprising: sending a message to the first gaming device denying authorization for the first gaming device to transfer gaming ~~software~~ to the second gaming device.

62. (Currently Amended) The method of claim 56, further comprising: decrypting the ~~download~~ request message.

63. (Currently Amended) The method of claim 56, further comprising: receiving a first ~~download~~ acknowledgement message from the first gaming device and receiving a second ~~download~~ acknowledgement message from the second gaming device.

64. (Currently Amended) The method of claim 63, further comprising: comparing gaming ~~software~~ transaction information in the first ~~download~~ acknowledgement message with gaming ~~software~~ transaction information in the second ~~download~~ acknowledgement message to validate that the gaming ~~software~~ has been correctly transferred.

65. (Currently Amended) The method of claim 64, wherein the gaming ~~software~~ transaction information in the first ~~download~~ acknowledgement message includes at least a first digital signature determined for the gaming ~~software~~ and the gaming ~~software~~ transaction information in the second ~~download~~ acknowledgement message includes at least a second digital signature determined for the gaming ~~software~~.

66. (Currently Amended) The method of claim 56, wherein the first gaming device comprises a game server in communication with one or more gaming machines and the second gaming device is a gaming machine.

67. (Currently Amended) The method of claim 56, wherein the first gaming device is a game server maintained by a gaming ~~software~~ provider and the second gaming device is a game server in communication with one or more gaming machines.

68. (Currently Amended) The method of claim 56, wherein the first gaming device is a game server maintained by a gaming ~~software~~ provider and the second gaming device is a gaming machine.

69. (Currently Amended) The method of claim 56, wherein the ~~software~~ authorization agent, the first gaming device and the second gaming device communicate with one another a local area network, a wide area network, a private network, a virtual private network, the Internet and combinations thereof.

70. (Currently Amended) The method of claim 56, wherein the ~~software~~ authorization agent, the first gaming device and the second gaming device communicate with another using at least one of a satellite communication connection, a RF communication connection and an infrared communication connection.

71. (Currently Amended) The method of claim 56, further comprising: receiving the gaming ~~software~~ from the first gaming device; validating the gaming ~~software~~; and sending the gaming ~~software~~ information to the second gaming device.

72. (Currently Amended) The method of claim 71, further comprising: determining a digital signature for the gaming ~~software~~ information; and comparing the digital signature with an approved digital signature for the gaming ~~software~~ information ~~stored in a database to validate the gaming software.~~

73. - 92. (Canceled)

93. (Currently Amended) In a first gaming device, a method of requesting a transfer of gaming ~~software~~ information from a second gaming device, said method comprising:

generating a gaming ~~software~~ transaction request;

sending the gaming ~~software~~ transaction request to a gaming ~~software~~ authorization agent that ~~approves or rejects~~ authorizes the transfer of gaming ~~software~~ from the send gaming device; and

~~receiving gaming transaction information from the gaming software authorization agent that is used to transfer the gaming software from the second gaming device~~

receiving a message on the first gaming device from the authorization agent wherein the message includes information authorizing the first gaming device to transfer the gaming information to the second gaming device wherein the first gaming device and the second gaming device are separate from the authorization agent,

wherein the gaming software information is for ~~at least one of~~ a) a game of chance played on a gaming machine;

- ~~b) a bonus game of chance played on a gaming machine;~~
- ~~c) a device driver for a device installed on a gaming machine;~~
- ~~d) a player tracking service on a gaming machine; and~~
- ~~e) an operating system installed on the gaming machine.~~

94. (Currently Amended) The method of claim 93, wherein the software authorization agent, the first gaming device and the second gaming device communicate with one another a local area network, a wide area network, a private network, a virtual private network, the Internet and combinations thereof.

95. (Canceled).

96. (Currently Amended) The method of claim 93, wherein the gaming software transaction request comprises access information and gaming software identification information.

97. – 99.(Canceled).

100. (Previously Presented) The method of claim 93, wherein the game of chance is a video slot game, a mechanical slot game, a lottery game, a video poker game, a video black jack game, a video lottery game, and a video pachinko game.

101. (Currently Amended) The method of claim 93, further comprising: sending authentication information used to identify the first gaming device to the gaming software authorization agent.

102. (Canceled).

103. (Currently Amended) The method of claim 93, further comprising: receiving the gaming software from the second gaming device.

104. (Currently Amended) The method of claim 103, further comprising: determining a digital signature for the gaming software information and sending a message with at least the digital signature to the gaming software authorization agent.

105. (Currently Amended) The method of claim 93, further comprising: authenticating an identity of the second gaming device.

106. (Previously Presented) The method of claim 93, wherein the first gaming device is a gaming machine and the second gaming device is a game server.

107. – 111. (Canceled).

112. (Currently Amended) In a first gaming device, a method of transferring gaming software information to a second gaming device, said method comprising:

receiving a gaming software transaction request;

sending the gaming software transaction request to a gaming software authorization agent that ~~approves or rejects~~ authorizes the transfer of gaming software information;

receiving a message on the first gaming device from the authorization agent wherein the message includes information authorizing the first gaming device to transfer the gaming information to the second gaming device wherein the first gaming device and the second gaming device are separate from the authorization agent; and

transferring the gaming software information to the second gaming device;

wherein the gaming software information is for-at-least-one-of-a) a game of chance played on a gaming machine;

b) a bonus game of chance played on a gaming machine;

c) a device driver for a device installed on a gaming machine;

d) a player tracking service on a gaming machine; and

e) an operating system installed on the gaming machine.

113. (Currently Amended) The method of claim 112, further comprising: receiving an approval of the gaming software transaction request from the gaming software authorization agent.

114. (Canceled).

115. (Currently Amended) The method of claim 112, wherein the software authorization agent, the first gaming device and the second gaming device communicate with one another a local area network, a wide area network, a private network, a virtual private network, the Internet and combinations thereof.

116. (Canceled).

117. (Currently Amended) The method of claim 112, wherein the gaming software transaction request comprises access information and gaming software identification information.

118. (Canceled).

119. (Currently Amended) The method of claim 117, wherein the gaming software identification information is one or more of a gaming software title, a gaming software provider identifier, a gaming software version number and a gaming software identification number.

120. (Currently Amended) The method of claim 112, wherein the gaming software transaction information is one or more of one or more of a transaction encryption key, a public encryption key used by the second gaming device, ~~a transaction number, a time stamp, a transaction expiration time, a destination identifier, a destination machine identification number, a gaming software identification number, a gaming software provider identifier, a number of allowable downloads, a transaction number~~ and combinations thereof.

121. (Previously Presented) The method of claim 112, wherein the game of chance is a video slot game, a mechanical slot game, a lottery game, a video poker game, a video black jack game, a video lottery game, a video pachinko game.

122. (Currently Amended) The method of claim 112, further comprising: determining a digital signature of the gaming software information and sending a message with at least the digital signature to the gaming software authorization agent.

123. (Previously Presented) The method of claim 112, wherein the first gaming device is a gaming server and the second gaming device is a gaming machine.

124. (Previously Presented) The method of claim 112, wherein the first gaming device is a gaming machine and the second gaming device is a gaming machine.

125. - 130. (Canceled).



131. (Currently Amended) ~~An~~ software authorization agent for facilitating the transfer of gaming software information between a plurality of gaming devices, the software authorization agent comprising:

a network interface allowing the authorization agent to communicate with each of the plurality of gaming devices; and

a processor configured or designed to (i) receive gaming software information transfer requests via the network interface from a first gaming device for the transfer of gaming software from ~~a second~~ the first gaming device to a ~~third~~ second gaming device (ii) approve or reject the gaming software transaction request (iii) send a message to the first gaming device wherein the message includes information authorizing the first gaming device to transfer the gaming information to the second gaming device wherein the first gaming device and the second gaming device are separate from the authorization agent.

wherein the gaming software information is for ~~at least one of~~ a) a game of chance played on a gaming machine, ~~b) a bonus game of chance played on a gaming machine, c) a device driver for a for a device installed on a gaming d) a player tracking service on a gaming machine and e) an operating system installed on a gaming machine.~~

132. - 135. (Canceled).

136. (Currently Amended) The software authorization agent of claim 131, further comprising: a database storing public encryption keys for one or more of the plurality of gaming devices.

137. - 143 (Canceled).

144. (Currently Amended) The software authorization agent of claim 131, wherein the game of chance is a video slot game, a mechanical slot game, a lottery game, a video poker game, a video black jack game, a video lottery game, and a video pachinko game.

145. (Currently Amended) The software authorization agent of claim 131, wherein the software authorization agent, the first gaming device, the second gaming device and the third gaming device communicate with one another a local area network, a wide area network, a private network, a virtual private network, the Internet and combinations thereof.

146. - 150. (Canceled).

151. (Currently Amended) A first gaming device comprising:

a network interface allowing communications between the first gaming device, a software authorization agent and one or more other gaming devices; and

a processor configured or designed to (i) send a request for the transfer of gaming software information from a second the first gaming device to a third second gaming device via the network interface to the software authorization agent (ii) ~~receive from the software authorization agent a reply approving or rejecting the request for the transfer of the gaming software~~ receive a message from the authorization agent wherein the message includes information authorizing the first gaming device to transfer the gaming information to the second gaming device wherein the first gaming device and the second gaming device are separate from the authorization agent.

wherein the gaming software information is for ~~at least one of a) a game of chance played on a gaming machine, b) a bonus game of chance played on a gaming machine, c) a device driver for a for a device installed on a gaming d) a player tracking service on a gaming machine and e) an operating system installed on a gaming machine.~~

152. (Currently Amended) The first gaming device of claim 151, further comprising: a memory device that stores gaming software information.

153. (Canceled).

154. (Canceled).

155. (Currently Amended) The first gaming device of claim 151, wherein the network interface is connected to at least one of a local area network, a wide area network, a private network, a virtual private network, the Internet and combinations thereof.

156. (Canceled).

157. (Currently Amended) The first gaming device of claim 151, wherein the first gaming device is a portable gaming device.

158. - 160. (Canceled).

161. (Currently Amended) The first gaming device of claim 151, wherein the game of chance is a video slot game, a mechanical slot game, a lottery game, a video poker game, a video black jack game, a video lottery game, and a video pachinko game.

162. - 164. (Canceled)

165. (Currently Amended) In an software authorization agent, a method of generating a gaming ~~software~~ transaction record used to facilitate a transfer of gaming ~~software~~ information between two gaming devices, the method comprising:

receiving a gaming ~~software~~ transaction request from a first gaming device;  
authenticating an identity of the first gaming device;

generating a gaming ~~software~~ transaction record comprising gaming ~~software~~ transaction information that ~~is used to approve or reject~~ authorizes the transfer of gaming ~~software~~ information from a second gaming device to the first gaming device;

sending a message to the first gaming device wherein the message includes information authorizing the first gaming device to transfer the gaming information to the second gaming device wherein the first gaming device and the second gaming device are separate from the authorization agent.

wherein the gaming ~~software~~ information is for a game of chance played on a gaming machine.

166. (New) A system for communicating gaming information, the system comprising:

a gaming machine configured to provide gaming information;  
a remote computer configured to send a request for receiving gaming information from the gaming machine;  
a gaming server configured to:

receive the request from the remote computer;  
authenticate the request from the remote computer;  
generating a gaming record comprising gaming information that authorizes the transfer of gaming information from the gaming machine to the remote computer; and

**Appl. No.** : **10/658,836**  
**Filed** : **August 21, 2003**

send a message to the remote computer wherein the message includes information authorizing the gaming machine to transfer the gaming information to the remote computer wherein the gaming machine and the remote computer are separate from gaming server, wherein the gaming information is a game of chance played on the gaming machine.

167. (New) The system of Claim 166, wherein the gaming information comprises at least one encryption key.